

Honeywell

PPE SAFETY PRODUCTS



Mark's
COMMERCIAL

WHERE SAFETY WORKS

Honeywell

SAFETY PRODUCTS

READY TO HELP

Safety officers and managers Canada wide are more committed than ever to reducing the occurrence of injuries. Their ultimate goal is achieving zero accidents. Safety incidents endanger the life and health of every worker and take heavy tolls in lost time, lost revenue, and lost productivity.

Perceptive managers are embracing the vision of a culture of safety. From job site to factory floor, they are creating a working world where safety isn't just something that company leaders occasionally address. It's how every worker acts, every day.

Environmental health and safety managers are leading their people to safety by inspiring workers to change behaviors and to make safer choices by themselves — for their own protection and that of their friends and co-workers.

Mark's Commercial is proud to include Honeywell safety products in our ever expanding PPE lineup. With this important addition we can truly be your company's head-to-toe PPE supplier. Talk to us about setting up an uninterrupted supply of critical safety equipment for your crew.



CONTENTS

EYE & FACE PROTECTION	1
HEAD PROTECTION	7
HEARING PROTECTION	10
RESPIRATORY PROTECTION	13
FALL PROTECTION	16



WHERE SAFETY WORKS



Delivering safety glasses and products that can be worn with confidence is one of the ways Honeywell is working to help build a culture of safety in the workplace.

To give you the best eyewear protection we carry two lines that use the latest technologies to bring you the protective capabilities, comfort, fit and durability you demand in your workplace.

EYE & FACE PROTECTION

NORTH® North® eyewear is state-of-the-art in design, engineering and performance. All of our sleek, contemporary designs meet Z87.1-2010 safety standards and many also meet CSA Z94.3 safety standards.

UVEX The world's top-selling protective eyewear brand. For decades, Uvex® has consistently delivered proven styles that use the most advanced lens coatings and materials to protect workers in every industry.

GENESIS® SAFETY GLASSES

Dual 9-base wrap-around lens provides uncompromised peripheral vision, superior coverage and adjustable temple length and lens inclination. Nosepiece with soft flexible "fingers" adjust and conform to almost any nasal profile and reduce slippage. Soft elastomer browguard diffuses and deflects impact. Lifetime frame guarantee & economical lens replacement system. Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard.



Honeywell
UVEX

COLOUR: Black/Clear SIZE: One Size


STYLE	FRAME COLOR/LENS TINTS	LENS COATING
S3200	Black/Clear	Ultra-dura Anti-Scratch
S3200D	Black/Clear	Dura-streme Hardcoat/Anti-Fog
S3200-ADV	Black/Clear	Ultra-dura Anti-Scratch, Advanced TPE
S3200HS	Black/Clear	HydroShield Anti-Fog
S3200X	Black/Clear	Uvextreme Anti-Fog
S3200X-ADV	Black/Clear	Uvextreme Anti-Fog, Advanced TPE
S3201	Black/Espresso	Ultra-dura Anti-Scratch
S3201HS	Black/Espresso	HydroShield Anti-Fog
S3201X	Black/Espresso	Uvextreme Anti-Fog
S3202	Black/Amber	Ultra-dura Anti-Scratch
S3202X	Black/Amber	Uvextreme Anti-Fog
S3203	Black/Gold Mirror	Ultra-dura Anti-Scratch
S3204	Black/SCT-Reflect 50	Ultra-dura Anti-Scratch
S3205X	Black /SCT-Gray	Uvextreme Anti-Fog
S3206	Blade/Shade 2.0 Infra-dura	Ultra-dura Anti-Scratch
S3207	Black/Shade 3.0 Ultra-dura	Ultra-dura Anti-Scratch
S3208	Black/Shade 5.0 Infra-dura	Ultra-dura Anti-Scratch
S3209	Black/SCT-Low IR	Ultra-dura Anti-Scratch
S3210X	Black/SCT-Vermillion	Uvextreme Anti-Fog
S3211X	Black/SCT-Blue	Uvextreme Anti-Fog
S3212X	Black/Dark Grey	Uvextreme Anti-Fog
S3213X	Black/50% Gray	Uvextreme Anti-Fog

STYLE	FRAME COLOR/LENS TINTS	LENS COATING
S3220	Earth/Clear	Ultra-dura Anti-Scratch
S3220X	Earth/Clear	Ultra-dura Anti-Scratch
S3221	Earth/Espresso	Ultra-dura Anti-Scratch
S3221X	Earth/Espresso	Ultra-dura Anti-Scratch
S3222	Earth /Amber	Ultra-dura Anti-Scratch
S3223	Earth/Gold Mirror	Ultra-dura Anti-Scratch
S3224	Earth/SCT-Reflect 50	Ultra-dura Anti-Scratch
S3240	Vapor Blue/Clear	Ultra-dura Anti-Scratch
S3240X	Vapor Blue/Clear	Uvextreme Anti-Fog
S3241	Vapor Blue/Espresso	Ultra-dura Anti-Scratch
S3241X	Vapor Blue/Espresso	Uvextreme Anti-Fog
S3242	Vapor Blue/Amber	Ultra-dura Anti-Scratch
S3243	Vapor Blue/Gold Mirror	Ultra-dura Anti-Scratch
S3244	Vapor Blue/SCT-Reflect 50	Ultra-dura Anti-Scratch
S3600	Mercury Red/Clear	Ultra-dura Anti-Scratch
S3600X	Mercury Red/Clear	Uvextreme Anti-Fog
S3601	Mercury Red/Espresso	Ultra-dura Anti-Scratch
S3601X	Mercury Red/Espresso	Uvextreme Anti-Fog
S3602	Mercury Red/Amber	Ultra-dura Anti-Scratch
S3603	Mercury Red/Gold Mirror	Ultra-dura Anti-Scratch
S3604	Mercury Red/SCT-Reflect 50	Ultra-dura Anti-Scratch

Uvex HydroShield™ ANTI-FOG COATING

Clearer. Longer. Safer. 

Up to 60X longer-lasting* fog-free performance and 2X greater scratch-resistance* than competitive anti-fog coated products.



ANTI-FOG RE-ENGINEERED

*Anti-fog performance based on independent lab test results when compared to median test results of competitive anti-fog coated products under EN166 and EN168 testing standards. Comparative lens life test performed using a Bayer Abrasion Test method and may vary between environment and application.

NOTE: Style number(s) in bold face denote items that are Mark's Commercial In-Stock items.

Honeywell
UVEX



UVEX TIRADE™ SEALED EYEWEAR

Uvex Tirade Sealed Eyewear offers protection in high particulate environments where dust, dirt and debris present the risk of eye injury. Features a large unilens design for a wide field of unobstructed peripheral vision, and a soft foam subframe to ensure a comfortable gap-free fit. 100% Non-conductive dielectric design. Available in a variety of lens tints with Uvextra® anti-fog lens coating, Uvex Tirade offers a dependable, cost-effective solution for indoor and outdoor environments requiring sealed eyewear protection.

COLOUR: Gloss Black Frame **SIZE:** One Size

STYLE	FRAME COLOR/LENS TINTS	LENS COATING
S4040	Gloss Black/Clear	Uvextra Anti-Fog
S4041	Gloss Black/Gray	Uvextra Anti-Fog
S4042	Gloss Black/Amber	Uvextra Anti-Fog
S4043	Gloss Black/Silver Mirror	Uvextra Anti-Fog
S4044	Gloss Black/SCT-Reflect 50	Uvextra Anti-Fog

Honeywell
UVEX



UVEX SEISMIC® SEALED EYEWEAR

Available with high-performance Uvextreme® anti-fog, Dura-streme® dual anti-fog/anti-scratch, Uvextra® anti-fog coatings and a scratch-resistant hardcoat. Soft and flexible nasal pads conform to a variety of facial profiles and minimize slippage. Soft, high quality face cushioning and padded temple tips offer all-day comfort. Adjustable flame-resistant headband provides excellent fit. Replaceable flame-resistant, cushion-lined subframe extends the life of the eyewear. Meets the ANSI Z87.1-2010 standard (ANSI-approved for use with and without cushion-lined frame). Headband and cushion-lined subframe are latex free. Certified to the requirements of the CSA Z94.3 standard only with subframe in place.

COLOUR: Selection **SIZE:** One Size

STYLE	FRAME COLOR/LENS TINTS	LENS COATING
S0600	Black/Clear	Anti-Scratch Hardcoat
S0600X	Black/Clear	Uvextra Anti-Fog
S0600D	Black/Clear	Dura-streme Hardcoat/Anti-Fog
S0601X	Black/Esspresso	Uvextra Anti-Fog
S0602X	Black/Amber	Uvextra Anti-Fog
S0604X	Black/SCT-Reflect 50	Uvextra Anti-Fog
S0605X	Black/SCT-Gray	Uvextra Anti-Fog
S0609X	Black/SCT-Low IR Lens	Uvextra Anti-Fog
S0620	Metallic Blue/Clear	Anti-Scratch Hardcoat
S0620X	Metallic Blue/Clear	Uvextra Anti-Fog
S0622X	Metallic Blue/Amber	Uvextra Anti-Fog
S0624X	Metallic Blue/SCT-Reflect 50	Uvextra Anti-Fog

Honeywell
UVEX



UVEX LIVEWIRE™ SEALED EYEWEAR

Designed from the ground up based on in-the-field research, Uvex Livewire sealed eyewear delivers the fit, performance and protection required in extreme environments, protecting workers against intense wind, sun, dirt, dust and debris, as well as heat and humidity. With its precision-designed fit, best-in-class anti-fog lens coating and comfort-engineered materials built into the frame, Uvex Livewire sealed eyewear is worthy of the most demanding environments...and worthy of the hardest working individuals. To outfit even more of your team, there's also a prescription frame option (SW09R).

COLOUR: Selection **SIZE:** One Size

STYLE	FRAME COLOR/LENS TINTS	LENS COATING
S2600HS	Matte Black/Clear	Hydroshield Anti-Fog
S2601HS	Matte Black/Esspresso	Hydroshield Anti-Fog
S2602HS	Matte Black/Amber	Hydroshield Anti-Fog
S2605HS	Matte Black/SCT-Gray	Hydroshield Anti-Fog
S2609HS	Matte Black/SCT-Low IR	Hydroshield Anti-Fog
S2620HS	Silver/Clear	Hydroshield Anti-Fog
S2621HS	Silver/Gray	Hydroshield Anti-Fog
S2600XP	Matte Black/Clear	Uvextreme Plus Anti-Fog
S2600D	Matte Black/Clear	Dura-streme Hardcoat/Anti-Fog
S2601XP	Matte Black/Esspresso	Uvextreme Plus Anti-Fog
S2602XP	Matte Black/Amber	Uvextreme Plus Anti-Fog
S2604XP	Matte Black/SCT-Reflect 50	Uvextreme Plus Anti-Fog
S2605XP	Matte Black/SCT-Gray	Uvextreme Plus Anti-Fog
S2607XP	Matte Black/Shade 3.0	Uvextreme Plus Anti-Fog
S2608XP	Matte Black/Shade 5.0	Uvextreme Plus Anti-Fog
S2609XP	Matte Black/SCT-Low IR	Uvextreme Plus Anti-Fog
S2620XP	Silver/Clear	Uvextreme Plus Anti-Fog
S2621XP	Silver/Gray	Uvextreme Plus Anti-Fog
S2624XP	Silver/SCT-Reflect 50	Uvextreme Plus Anti-Fog



SAFETY FACT:

The type of safety eye protection you should wear depends on the hazards in your workplace.

If you are working in an area that has particles, flying objects, or dust, you must at least wear safety glasses with side protection (side shields).

If you are working with chemicals, you should wear goggles.

If you are working near hazardous radiation (welding, lasers, or fibre optics) you must use special-purpose safety glasses, goggles, face shields, or helmets designed for that task.



Honeywell
UVEX

GENESIS® WRAP AROUND SAFETY GLASSES

Dual 9-base wrap-around lens provides uncompromised peripheral vision and protection. Soft flexible fingers adjust and conform to almost any nasal profile and reduce slippage. Soft elastomer browguard diffuses and deflects impact. Available with a variety of high-performance lens coating options. Lifetime frame guarantee and economical lens replacement system. Adjustable temple length and lens inclination. Meets ANSI Z87.1-2010 and is certified to CSA Z94.3 standards.

COLOUR:	Black/Clear	SIZE:	One Size	STYLE	FRAME COLOR/LENS TINTS	LENS COATING
S3200D-MIL	Black/Clear					Dura-streme Hardcoat/Anti-Fog
S3212D-MIL	Black/Grey					Dura-streme Hardcoat/Anti-Fog



Honeywell
UVEX

UVEX PROTÉGÉ®

Protection with lightweight comfort and style. Proprietary Floating Lens™ design offers increased flexibility to fit more wearers. Secure wraparound brow expands to fit a wide range of users. Soft temple tip pads provide a secure fit while flexible “fingers” on the nosepiece reduce slippage. Lifetime frame guarantee. Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard. Ultra-dura HC lens coating.

COLOUR:	Selection	SIZE:	One Size	STYLE	FRAME COLOR/LENS TINTS	LENS COATING
S4200	Metallic Black/Clear					Ultra-dura
S4200HS	Metallic Black/Clear					HydroShield Anti-Fog
S4200X	Metallic Black/Clear					Uvextreme Anti-Fog
S4201	Metallic Black/Grey					Ultra-dura
S4201HS	Metallic Black/Grey					HydroShield Anti-Fog
S4201X	Metallic Black/Grey					Uvextreme Anti-Fog
S4202	Metallic Black/SCT Reflect 50					Ultra-dura
S4203	Metallic Black/Silver Mirror					Ultra-dura
S4210	Sandstone/Clear					Ultra-dura
S4210X	Sandstone/Clear					Uvextreme Anti-Fog
S4211	Sandstone/Grey					Ultra-dura
S4211X	Sandstone/Grey					Uvextreme Anti-Fog
S4212	Sandstone/SCT Reflect 50					Ultra-dura
S4213	Sandstone/Silver Mirror					Ultra-dura
S4221XC	Metallic Black/SCT-Blue					Ultra-dura
S4221XXC	Metallic Black/SCT-Blue					Uvextreme Anti-Fog
S4222XC	Metallic Black/Amber					Ultra-dura
S4222XXC	Metallic Black/Amber					Uvextreme Anti-Fog

NOTE: Style number(s) in bold face denote items that are Mark's Commercial In-Stock items.



Honeywell
NORTH

THE EDGE™ T5605 SERIES

Unique, guided lens change system makes swapping lenses a snap. Two temple styles, curved and straight, included with each SKU. Durable 9-base unilens design protects the periphery. Lenses are protected with North's exclusive 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9%, Anti-Static. Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard.

COLOUR:	Selection	SIZE:	One Size	STYLE	FRAME COLOR/LENS TINTS	LENS COATING
T56005B	Black/Clear					4A
T56005BS	Black/Smoke					4A
T56005BA	Black/Amber					4A
T56005BM	Black/Mirror					3A
T56005GRY	Gray/Clear					4A
T56005GRYS	Gray/Smoke					4A



Honeywell
UVEX

UVEX BAYONET™

Proprietary Floating Lens™ design. Custom designated temples offer sleek styling. Flexible wrap-around brow expands and contracts to comfortably fit a variety of wearers. Weighs less than one ounce. Soft inserts along the temple provide a comfortable, head-hugging fit. Soft, flexible “fingers” conform to a variety of nasal profiles and minimize slippage. Meets ANSI Z87.1-2010, Military V₀ ballistic test for impact and is certified to CSA Z94.3 standards. Supra-Dura lens coating.

COLOUR:	Gloss Black & Gray/Clear.	SIZE:	One Size	STYLE:	S0500
---------	---------------------------	-------	----------	--------	-------



Honeywell
UVEX

UVEX A400 SERIES

Sporty, one piece wrap-around lens. Available with scratch-resistant hardcoating or optional Uvextra Anti-Fog coating. Meets ANSI and CSA standards. Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standards.

COLOUR: Selection		SIZE: One Size	
STYLE	FRAME COLOR/LENS TINTS	LENS COATING	
A400	Clear/Clear	Anti-Scratch	
A400AF	Clear/Clear	Uvextra Anti-Fog	
A401	Gray/Gray	Anti-Scratch	
A402	Amber/Amber	Anti-Scratch	
A403	Gray/Silver	Anti-Scratch	
A404	Clear/I/O Silver mirror	Anti-Scratch	



SAFETY FACT:

There are roughly 73,000 eye injuries every year in Canada. That's approximately 8 per hour.



Honeywell
UVEX

UVEX A900 SERIES

Sporty, 8-base wrap-around polycarbonate lens. Non-slip rubber nose bridge and padded temples provide a comfortable fit. Meets ANSI Z87.1-2010 standard. CSA version certified to requirements of the CSA Z94.3 standards. Hardcoat lens coating.

COLOUR: Selection		SIZE: One Size	
STYLE	FRAME COLOR/LENS TINTS	LENS COATING	
A900	Black/Clear	Anti-Scratch	
A901	Black/Clear	Uvextra Anti-Fog	
A902	Black/Gray	Anti-Scratch	
A903	Black/Gray	Uvextra Anti-Fog	



Honeywell
UVEX

UVEX RELENTLESS™ SERIES

8-base polycarbonate lens and frame provide extended wraparound protection. Soft padded nose-piece and temples for added comfort. Dielectric design – contains no metal parts. Available in a variety of lens tints. Provides 99.9% UV protection. Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards.

COLOUR: Selection		SIZE: One Size	
STYLE	FRAME COLOR/LENS TINTS	LENS COATING	
A1200	Midnight/Dk./Clear	Anti-Scratch Hardcoat	
A1201	Midnight/Dk. Gray/TSR Gray	Anti-Scratch Hardcoat	
A1202	Midnight/Dk. Gray/Amber	Anti-Scratch Hardcoat	
A1203	Midnight/Dark Gray/Silver Mirror	Anti-Scratch Hardcoat	
A1204	Midnight Dk. Gray/Silver Mirror	Anti-Scratch Hardcoat	
A1205	Midnight Dk. Gray/Clear	Uvextra Anti-Fog	
A1206	Midnight/Dk. Gray/TSR Gray	Uvextra Anti-Fog	



Honeywell
UVEX

UVEX GX-8™ SERIES

Nickel-free, soldered and shaped metal frame. 8-base, full coverage wrap. Spring-hinge temples regulate temple pressure. Adjustable padded nosepiece. Slip-resistant temples. Uvextra® Anti-Fog lenses are available in clear and gray tints for optimal visual clarity in difficult environments. Provides 99.9% UV protection. Meets ANSI Z87.1-2010. Certified to the requirements of CSA Z94.3 standards.

COLOUR: Gloss Black		SIZE: One Size	
STYLE	FRAME COLOR/LENS TINTS	LENS COATING	
A1300	Brushed Steel/Clear	Anti-Scratch Hardcoat	
A1301	Brushed Steel/TSR Gray	Anti-Scratch Hardcoat	
A1302	Brushed Steel/Amber	Anti-Scratch Hardcoat	
A1303	Brushed Steel/Silver Mirror	Anti-Scratch Hardcoat	
A1304	Brushed Steel/I/O Silver Mirror	Anti-Scratch Hardcoat	
A1305	Brushed Steel/Clear	Uvextra Anti-Fog	
A1306	Brushed Steel/TSR Gray	Uvextra Anti-Fog	

NOTE: Style number(s) in bold face denote items that are Mark's Commercial In-Stock items.



Honeywell
UVEX

A700 SERIES SAFETY GLASSES

Sport temples with soft temple tip pads for comfortable, secure fit. Secure wrap-around design. Polycarbonate, distortion-free, hardcoat lenses. Scratch-resistant hardcoat or optional Uvextra® Anti-Fog coating. Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards.

COLOUR:	Clear, Grey	SIZE:	One Size
STYLE	FRAME COLOR/LENS TINTS	LENS COATING	
A700	Clear/Clear	Anti-Scratch Hardcoat	
A701	Gray/TSR Gray	Anti-Scratch Hardcoat	
A703	Gray/Blue Mirror	Anti-Scratch Hardcoat	
A704	Gray/Silver Mirror	Anti-Scratch Hardcoat	
A705	Clear/Clear	Uvextra Anti-Fog	
A706	Gray/TSR Gray	Uvextra Anti-Fog	



Honeywell
NORTH

TRITON SERIES

Great coverage and wide field uni-lens design provide unobstructed vision at a great price. Attractive translucent gray temples add style. Polycarbonate lens. Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards.

COLOR:	Clear, Smoke	SIZE:	One Size
STYLE	FRAME COLOR/LENS TINTS		
T12005	Translucent Gray/Clear		
T12005S	Translucent Gray/Smoke		
T12005TCG	Translucent Gray/Mirror Lens		



SAFETY FACT:

Use, fit and access are all key elements to eye protection. Keeping the correct kind of eye protection near hazardous work areas in a variety of sizes and styles will make it easier to work safely. And most importantly – lead by example.



Honeywell
NORTH

NORTON 180™ T1800 SERIES

Optically correct 180° peripheral vision. “Wrap-around” styling. Injection-molded lenses and temples are 100% polycarbonate and impact resistant. Vented sideshields allows airflow and reduce heat build up and lens fogging side protection against impact. Polycarbonate lens absorbs more than 99.9% of harmful UV light. Utilizes exclusive North 3A coating, protecting against scratches, UV and static. Meets ANZI Z87.1-2010 and is certified to the requirements of the Z94.3 standards.

COLOUR:	Selection	SIZE:	One Size
STYLE	FRAME COLOR/LENS TINTS		
T18000	Clear Frame		



Honeywell
UVEX

UVEX TURBOSHIELD™

Patented head-cushioning suspension cradle provides 300% greater contact area than traditional suspensions to eliminate pressure points and provide superior comfort. Patent-pending push-button visor attachment and release system allows for the quickest, easiest visor exchange available. Toric-shaped visor provides 50% more chin coverage compared to traditional visors. Large, ergonomically designed control knobs are easy to adjust – even while wearing gloves – for a personalized, comfortable fit. Patented hard hat adapter design enables visor to slide back seven inches, improving balance and weight distribution. Dual-hinge adapter design increases clearance by as much as four inches, keeping hard hat accessory slots open for compatibility with other PPE. Meets ANSI Z87.1-2010 and is certified to CSA Z94.3 standards.

COLOUR:	Ratchet Headgear Black
SIZE:	One Size
STYLE:	S9500

NOTE: Style number(s) in bold face denote items that are Mark's Commercial In-Stock items.

Honeywell
UVEX



UVEX STEALTH®

One of the most popular goggles on the market. Low profile design and indirect venting system for chemical splash and impact protection. Meets ANSI Z87.1-2003 (High Impact) and CSA Z94.3 standards. Toric lens provides superior optics and unobstructed peripheral vision. Soft, elastomer body flexes and conforms to the face for a secure, comfortable, gap-free fit. One of the easiest and most cost effective lens replacement systems on the market. Rx insert provides flexibility for workers who require vision correction.

COLOUR:	Selection	SIZE:	One Size	STYLE	FRAME COLOR/LENS TINTS	LENS COATING
				S39630C	Orange, Gray/Clear	Uvextreme Anti-Fog
				S39630CI	Orange, Gray/Clear	Uvextreme Anti-Fog
				S39631C	Orange, Gray/Clear	Uvextreme Anti-Fog
				S3960C	Gray/Clear	Uvextreme Anti-Fog
				S3960D	Gray/Clear	Dura-streme Hardcoat/Anti-Fog
				S3960CI	Gray/Clear	Uvextreme Anti-Fog
				S3960HS	Gray/Clear	HydroShield Anti-Fog
				S3961C	Gray/Gray	Uvextreme Anti-Fog
				S3961HS	Gray/Gray	HydroShield Anti-Fog
				S3962C	Gray/Amber	Uvextreme Anti-Fog
				S39610C	Teal, Gray/Clear	Uvextreme Anti-Fog
				S39611C	Teal, Gray/Gray	Uvextreme Anti-Fog

Honeywell
UVEX



UVEX V-MAXX®

Direct and indirect vent styles available for impact and splash applications. Futuristic wrap-around styling provides excellent panoramic vision. Uvextra Anti-Fog coating minimizes fogging caused by humidity, heat, cold and heavy exertion. OTG compatible (can be worn over most prescription eyewear). Pivoting headband clips to adjust strap around hard hats or hearing protection. Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard.

COLOUR:	Selection	SIZE:	One Size	STYLE	FRAME COLOR/LENS TINTS	VENT	LENS COATING
				11250800	Clear/Clear	Direct	Uvextra Anti-Fog
				11250810	Clear/Clear	Indirect	Uvextra Anti-Fog
				11250830	Black/IR/PC 3.0 Shade	Indirect	Uvextra Anti-Fog
				11250850	Black/IR/PC 5.0 Shade	Indirect	Uvextra Anti-Fog

Honeywell
UVEX



UVEX SUB-ZERO™

Top and bottom ventilation help create airflow to further minimize fogging. Soft face foam and a wide adjustable headband provide a comfortable fit. Ski-inspired styling for cold and extreme weather conditions. Easy and economical lens replacement system. Not for chemical splash. Meets ANSI-Z87.1-2010 standard. Certified to the requirements of CSA Z94.3 standard

COLOUR:	Selection	SIZE:	One Size	STYLE	FRAME COLOR/LENS TINTS	LENS COATING
				S2380	Black/Clear	HydroShield Anti-Fog
				S2381	Black/Gray	HydroShield Anti-Fog



SAFETY FACT:

90% of all workplace eye injuries can be prevented by wearing proper protective eyewear.

Honeywell
UVEX



UVEX CLASSIC™

Four models available for dust, mist or chemical splash – indirect vented, closed vented, indirect hooded; and for dust and mist only – indirect hooded with face foam. Fits over most Rx spectacles. Meets ANSI Z87.1-2010 and is certified to CSA Z94.3 standards. Uvextreme AF lens coating.

COLOUR:	Selection	SIZE:	One Size	STYLE	FRAME COLOR/LENS TINTS	LENS COATING
				S350	Clear/Clear	Uvextreme Anti-Fog
				S350CF	Clear/Clear	Uvextreme Anti-Fog
				S360	Clear/Clear	Uvextreme Anti-Fog
				S364	Clear/Clear	Uvextreme Anti-Fog

NOTE: Style number(s) in bold face denote items that are Mark's Commercial In-Stock items.

HEAD PROTECTION


Wherever there is a potential for falling objects, flying objects, impacts or bumps, your employees should be wearing a hard hat. Honeywell provides hard hats that are comfortable and reliable head protection that feature stylish, lightweight shell designs, height adjustment and comfortable padding that provide workers with comfort all day long.

Greater compliance and worker safety are an active part of our ongoing commitment to quality, innovation and the enhancement of head protection in the workplace.

3-level height adjustment for greater stability, balance and retention.

Removable, replaceable rear comfort cradle for improved fit and comfort.

Easy-grip ratchet for smooth and precise headband adjustment, even when wearing gloves.



Ergonomic, moisture-wicking breathable headband for easy adjustment to 3 sizes.

Short brim and low-profile design for increased field of vision and user mobility.

Slots for cap-mounted earmuffs, face shields and other PPE accessories.

NORTH ZONE HARD HAT

It's your job to keep your workers safe and productive. The first way to do that is to ensure that they wear their hard hats and other safety gear all day long. The problem: Users will not wear hats that are uncomfortable or fit poorly, resulting in constant removal and readjustment. Our North zone hard hat is so comfortable, stable and lightweight your workers won't want to take it off.



Approved to be worn in the reverse position.



COLOUR:	17 colours		SIZE:	S, M/L, XL	
STYLE	COLOUR	STYLE	COLOUR	STYLE	COLOUR
Quick Fit Adjustment		Ratchet Adjustment			
N10010000	White	N10R010000	White		
N10020000	Yellow	N10R020000	Yellow		
N10030000	Orange	N10R030000	Orange		
N10040000	Green	N10R040000	Green		
N10050000	Hi Viz Red	N10R050000	Hi Viz Red		
N10070000	Sky Blue	N10R070000	Sky Blue		
N10080000	Navy Blue	N10R080000	Navy Blue		
N10090000	Gray	N10R090000	Gray		
N10100000	Tan	N10R100000	Tan		
N10110000	Black	N10R110000	Black		
N10120000	Brown	N10R120000	Brown		
N10130000	Gold	N10R130000	Gold		
N10150000	Red	N10R150000	Red		
N10170000	Royal Blue	N10R170000	Royal Blue		
N10200000	Hot Pink	N10R200000	Hot Pink		
N10440000	Hi Viz Strong Yellow	N10R440000	Hi Viz Strong Yellow		
N10460000	Hi Viz Strong Orange	N10R460000	Hi Viz Strong Orange		

NOTE: Style number(s) in bold face denote items that are Mark's Commercial In-Stock items.



Honeywell
FIBRE METAL

FIBRE-METAL ROUGHNECK® P2

Proprietary injection-molded fiberglass compound is eight times stronger than common high density polyethylene (HDPE) cap shells. Meets ANSI-Z89.1-2009 impact resistance tests at extreme temperatures of up to 370°F (P2A) and up to 500°F (P2HN). Ready to use with the industry's most versatile Quick-Lok® or Speedy® Loop helmet attachment system for faceshields and welding helmets. Factory-assembled and SEI third-party certified to meet ANSI Z89.1-2009 Type I Class G (including Quick-Lok® model) and CSA Z94.1-2005 Type I Class G or C (Class C for Quick-Lok® model) in both forward and reverse.

COLOUR: 9 colours **SIZE:** One Size

STYLE	COLOUR	ADJUSTMENT SYSTEM
P2AW01	White	TabLok
P2ASW01	White	SwingStrap
P2AQSW01	White	SwingStrap, Quick-Lok
P2ARW01	White	Ratchet
P2AQRW01	White	Ratchet, Quick-Lok
P2HNRW01	White	High heat, Ratchet
P2HNRW01	White	High heat, Ratchet & Quick-Lok
P2AW02	Yellow	TabLok
P2ASW02	Yellow	SwingStrap
P2AQSW02	Yellow	SwingStrap, Quick-Lok
P2ARW02	Yellow	Ratchet
P2AQRW02	Yellow	Ratchet, Quick-Lok
P2HNRW02	Yellow	High heat, Ratchet
P2HNRW02	Yellow	High heat, Ratchet & Quick-Lok
P2AW09	Gray	TabLok
P2ASW09	Gray	SwingStrap
P2AQSW09	Gray	SwingStrap, Quick-Lok
P2ARW09	Gray	Ratchet
P2AQRW09	Gray	Ratchet, Quick-Lok
P2AW11	Black	TabLok
P2ASW11	Black	SwingStrap
P2AQSW11	Black	SwingStrap, Quick-Lok
P2ARW11	Black	Ratchet
P2AQRW11	Black	Ratchet, Quick-Lok
P2AW12	Brown	TabLok
P2ASW12	Brown	SwingStrap
P2AQSW12	Brown	SwingStrap, Quick-Lok
P2ARW12	Brown	Ratchet
P2AQRW12	Brown	Ratchet, Quick-Lok
P2AW15	Red	TabLok
P2ASW15	Red	SwingStrap
P2AQSW15	Red	SwingStrap, Quick-Lok
P2ARW15	Red	Ratchet
P2AQRW15	Red	Ratchet, Quick-Lok
P2HNRW15	Red	High heat, Ratchet
P2AW46	Strong Orange	TabLok
P2ASW46	Strong Orange	SwingStrap
P2AQSW46	Strong Orange	SwingStrap, Quick-Lok
P2ARW46	Strong Orange	Ratchet
P2AQRW46	Strong Orange	Ratchet, Quick-Lok
P2HNRW46	Strong Orange	High heat, Ratchet
P2AW71	Blue	TabLok
P2ASW71	Blue	SwingStrap
P2AQSW71	Blue	SwingStrap, Quick-Lok
P2ARW71	Blue	Ratchet
P2AQRW71	Blue	Ratchet, Quick-Lok
P2HNRW71	Blue	High heat, Ratchet
P2AW74	Green	TabLok
P2ASW74	Green	SwingStrap
P2AQSW74	Green	SwingStrap, Quick-Lok
P2ARW74	Green	Ratchet
P2AQRW74	Green	Ratchet, Quick-Lok
P2HNRW74	Green	High heat, Ratchet



Honeywell
NORTH

THE MATTERHORN A89

All purpose lateral impact HDPE hard hat with foam liner. Rain trough and accessory slots. 4 point nylon ratchet or quick fit suspension with 3 level height adjustment. Meets ANSI Z89.1-2009 and CSA Z94.1-2005 Type 2 Class E.

COLOUR: 19 colours **SIZE:** One Size

STYLE	COLOUR	STYLE	COLOUR
Quick Fit Adjustment		Ratchet Adjustment	
A89010000	White	A89R010000	White
A89020000	Yellow	A89R020000	Yellow
A89030000	Orange	A89R030000	Orange
A89040000	Green	A89R040000	Green
A89050000	Hi Viz Red	A89R050000	Hi Viz Red
A89070000	Sky Blue	A89R070000	Sky Blue
A89080000	Navy Blue	A89R080000	Navy Blue
A89090000	Gray	A89R090000	Gray
A89100000	Tan	A89R100000	Tan
A89110000	Black	A89R110000	Black
A89120000	Brown	A89R120000	Brown
A89130000	Gold	A89R130000	Gold
A89150000	Red	A89R150000	Red
A89170000	Royal Blue	A89R170000	Royal Blue
A89200000	Hot Pink	A89R200000	Hot Pink
A89440000	Hi Viz Strong Yellow	A89R440000	Hi Viz Strong Yellow
A89460000	Hi Viz Strong Orange	A89R460000	Hi Viz Strong Orange
A89700000	Pink	A89R700000	Pink
A89710000	Blue	A89R710000	Blue



Honeywell
NORTH

NORTH SUMMIT A99R

Top-of-the-line foam lined, lateral impact hard hat, without rain trough. Fully adjustable 6-point nylon web ratchet suspension for total comfort. The suspension features self-centering and two-level height adjustment, forehead comfort band and crown pad. The ratchet size adjustment provides increased stability and wearability in demanding situations. The robust HDPE outer shell offers clean styling and accessory slots. Meets ANSI Z89.1-2009 and CSA Z94.1-2005 Type 2 Class E.

COLOUR: 19 colours **SIZE:** S, M/L, XL

STYLE	COLOUR	STYLE	COLOUR
A99R010000	White	A99R120000	Brown
A99R020000	Yellow	A99R130000	Gold
A99R030000	Orange	A99R150000	Red
A99R040000	Green	A99R170000	Royal Blue
A99R050000	Hi Viz Red	A99R200000	Hot Pink
A99R070000	Sky Blue	A99R440000	Hi Viz Strong Yellow
A99R080000	Navy Blue	A99R460000	Hi Viz Strong Yellow
A99R090000	Gray	A99R700000	Pink
A99R100000	Tan	A99R710000	Blue
A99R110000	Black		

NOTE: Style number(s) in bold face denote items that are Mark's Commercial In-Stock items.



Honeywell
NORTH

NORTH EVEREST A119R

All the protective features of the A49R, plus a foam liner for lateral impact protection. Ideal for workers who are exposed to the risk of a blow to the side, front or rear of the head, along with the hazard of falling debris, rain, or the sun's UV rays. The 6-point nylon web suspension, with ratchet size adjustment, forehead comfort band and crown pad, 2-level height adjustment and self-centering provides comfort and stability. Meet ANSI Z89.1-2009 Type II Class E and CSA Type 2, Class E.

COLOUR: 18 colours **SIZE:** S, M/L, XL

STYLE	COLOUR	STYLE	COLOUR
A119R010000	White	A119R110000	Black
A119R020000	Yellow	A119R120000	Brown
A119R030000	Orange	A119R130000	Gold
A119R040000	Green	A119R150000	Red
A119R050000	Hi Viz Red	A119R170000	Royal Blue
A119R070000	Sky Blue	A119R200000	Hot Pink
A119R080000	Navy Blue	A119R440000	Hi Viz Strong Yellow
A119R090000	Gray	A119R700000	Pink
A119R100000	Tan	A119R710000	Blue



Honeywell
NORTH

THE EVEREST A49

Full brim HDPE shell with accessory slots. Protects from the sun's UV rays, rain and falling debris. 4 point or 6 point nylon suspension with 2 level height adjustment. Meets ANSI Z89.1-2009 and CSA Z94.1-2005 Type 1 Class E.

COLOUR: 19 colours **SIZE:** One Size

STYLE	COLOUR	STYLE	COLOUR
Pin Lock Adjustment		Ratchet Adjustment	
A49010000	White	A49R010000	White
A49020000	Yellow	A49R020000	Yellow
A49030000	Orange	A49R030000	Orange
A49040000	Green	A49R040000	Green
A49050000	Hi Viz Red	A49R050000	Hi Viz Red
A49070000	Sky Blue	A49R070000	Sky Blue
A49080000	Navy Blue	A49R080000	Navy Blue
A49090000	Gray	A49R090000	Gray
A49100000	Tan	A49R100000	Tan
A49110000	Black	A49R110000	Black
A49120000	Brown	A49R120000	Brown
A49130000	Gold	A49R130000	Gold
A49150000	Red	A49R150000	Red
A49170000	Royal Blue	A49R170000	Royal Blue
A49200000	Hot Pink	A49R200000	Hot Pink
A49440000	Hi Viz Strong Yellow	A49R440000	Hi Viz Strong Yellow
A49460000	Hi Viz Strong Orange	A49R460000	Hi Viz Strong Orange
A49700000	Pink	A49R700000	Pink
A49710000	Blue	A49R710000	Blue



Honeywell
FIBRE METAL

FIBRE-METAL ROUGHNECK® P1

Featuring a full brim design for added protection and comfort, the P1 is the latest addition to the Roughneck series of injection-molded fiberglass hats and caps. Built for strength, toughness and durability, the Roughneck series has earned a solid reputation on construction sites, in steel plants, foundries, forges, fabrication shops, chemical plants and other extreme environments across the globe. Patented SuperEight suspension balances and spreads weight over wide area for added comfort and protection. Proprietary injection-molded fiberglass is 8X stronger than common high density polyethylene (HDPE) shells. Injection-molded solid color resin provides a permanent, no-chip, no-peel finish. Best-in-class heat resistance. Impact resistant in extreme temperatures of up to 370°F/188°C. Meets ANSI Z89.1-2014, Type I Class G CSA - CSA Z94.1-2005, Type I Class G.

COLOUR: Yellow, Orange, Red
STYLE: P1AW Yellow, P1ASW Orange, P1ARW Red



SAFETY FACT:

Helmets and hard hats must resist penetration, absorb shock, be water resistant, slow to burn, and be adjustable. The hard hat liner must be adjusted to ensure that there is an open space between the rigid helmet and the top of the head, to absorb the blow from a falling object. Adjust headband size so that head wear will stay on when the wearer is bending over, but not so tight that it leaves a mark on the forehead.

NOTE: Style number(s) in bold face denote items that are Mark's Commercial In-Stock items.



HEARING PROTECTION

Your employees deserve the best hearing protection, period.

From technical innovations to educational initiatives to field verification, we offer a suite of resources to make Hearing Conservation happen.

The Howard Leight® brand is a global leader in passive and intelligent hearing protection solutions, and the founder of the HearForever® Hearing Conservation initiative. For more than 30 years, we have pursued the prevention of occupational hearing loss through innovation in hearing protection design, technology, performance, comfort, and the promotion of progressive Hearing Conservation programs.



Snap-in ear cushions make replacement quick and easy.

Multiple attenuation levels allow for targeted attenuation for a variety of applications.

Robust steel construction withstands demanding use, especially in tough environments.

Features patented Air Flow Control™ technology for optimal attenuation.



LEIGHTNING® NOISE-BLOCKING EARMUFFS

Robust steel construction withstands demanding use, especially in tough environments. Features patented Air Flow Control™ technology for optimal attenuation. Padded foam headband delivers superb comfort with minimal pressure on head. Telescopic height adjustment remains fixed during use. Snap-in ear cushions make replacement quick and easy. 1010924 - NRR: 30, Canada Class A (L). 1010922-H5 – NRR: 25, Canada Class B.

COLOUR: Black

SIZE: One Size

STYLE: 1010924



NOTE: Style number(s) in bold face denote items that are Mark's Commercial In-Stock items.



Honeywell
HOWARD LEIGHT

LEIGHTNING® L1 HEADBAND EARMUFF

AIR FLOW CONTROL TECHNOLOGY Bilsom's patented Air Flow Control™ technology delivers optimal attenuation across all frequencies, without increasing earcup size or weight. A patented baseplate chamber and high-tech non-woven layer manage the flow of air inside the earmuff to control how sound reaches the ear. The result is better, more consistent overall attenuation for virtually all industrial noise environments. STEEL WIRE CONSTRUCTION robust steel headband withstands demanding use, especially in tough environments. SNAP-IN EAR CUSHIONS Snap-in ear cushions make replacement quick and easy. PADDED FOAM HEADBAND Delivers long-wearing comfort with minimal pressure on the head.

COLOUR: Black SIZE: One Size STYLE: 1010922-H5



FirmFit™ SINGLE USE EARPLUGS

Familiar barrel shape offers ease of use. Soft firm foam rolls easily between fingers and provides for easy insertion into ear canals. Low-pressure comfort on the ear in all working environments. 200 pairs/box.

COLOUR: Orange, uncorded
SIZE: One size STYLE: FF-1



Laser Lite® SINGLE USE EAR PLUGS

Vibrant colours make protection visible. Self-adjusting foam expands to fit virtually every wearer. Contoured T-shape for easy insertion and wear. Smooth, soil-resistant closed-cell foam skin prevents dirt build-up.

COLOUR: Yellow/Pink, uncorded
SIZE: One Size STYLE: LL-1



Max Lite™ SINGLE USE SMALLER EAR PLUGS

Ideal size for workers with smaller ear canals. Low pressure polyurethane foam expands gently for comfortable long-term wear. Contoured T-shape for easy handling and wear. Smooth, soil-resistant closed-cell foam skin prevents dirt build up. NRR: 30, Canada Class A (L).

COLOUR: Green, corded
SIZE: One Size STYLE: LPF-30



Honeywell
HOWARD LEIGHT

LEIGHTNING® L3H CAP MOUNTED EARMUFFS

Honeywell Howard Light™ cap mounted earmuffs to work with North® hard hats and face shields. Features patented Air Flow Control™ technology for optimal attenuation. Lower profile cups attract less dirt for better hygiene. Ear cups snap in place during use and swing back when not in use. NRR: 27, Canada Class A.

COLOUR: Black/White SIZE: One Size STYLE: EM7206-HL



Honeywell
NORTH

INTRUDER CAP MOUNTED EARMUFFS

Designed to work with North® hard hats. Passive earmuffs specifically designed for use with all North® brand hard hats, helmets and faceshields. Specifically designed for use with wide and full-brim hard hats. Dielectric options suitable for electrical environments. NRR: 24, Canada Class B.

COLOUR: Red, Blue, White SIZE: One Size STYLE: EM7209



Max® SINGLE USE EAR PLUGS

Superior noise-blocking performance. The world's most-used polyurethane foam earplug. Contoured bell-shape is easier to insert, resists tendency to back-out of ear canal. Polyurethane foam enhances comfort, especially for long-term wear. Smooth, soil-resistant closed-cell foam skin prevents dirt build-up. NRR: 33, Canada Class A (L).

COLOUR: Pink
SIZE: One Size STYLE: MAX-1

NOTE: Style number(s) in bold face denote items that are Mark's Commercial In-Stock items.



Honeywell
HOWARD LEIGHT

THUNDER® TOP-OF-THE-LINE EARMUFFS

Dielectric construction suitable for all workplaces, especially electrical environments. Features patented Air Flow Control™ technology for optimal attenuation. Uniform headband pressure for all head sizes, providing better comfort for long-term wear. Inner-ventilated headband minimizes pressure on the head, breathes easier in warm/humid climates. Non-deforming outer headband withstands rough treatment. Quick-Click height adjustment remains fixed during wear. Snap-in ear cushions make replacement quick and easy. NRR: 26, Canada Class A.

COLOUR: Black/Green **SIZE:** One Size **STYLE:** 1010928



Honeywell
HOWARD LEIGHT

SYNC™ STEREO EARMUFF

Use as passive hearing protector or as stereo earmuffs. No volume knobs or power switches to coordinate nor batteries to replace. Ease-of-use is enhanced by maintaining volume and power control through the external device. Simply plug MP3 players and personal listening devices and listen. Can be used with MP3 players, mobile phones and other personal listening devices, ideal for use at work or at home.

COLOUR: Black **SIZE:** One Size **STYLE:** 1030110



SAFETY FACT:

Sound is measured in decibels (dB). A normal conversation takes place at about 60 dB, whereas a gun shot is above 130 dB. Most power tools operate at between 90 and 120 decibels, an oxygen torch is 121 dB and a diesel truck 64 kmph at 54 ft. is 84 dB. Hearing protection should be worn if noise levels exceed 85 dB.



Honeywell
HOWARD LEIGHT



SYNC™ DIGITAL AM/FM RADIO

Digital AM/FM tuning with LCD display automatically searches for radio stations. 10 pre-set stations and volume memory can be personalized for each worker. Clean, crisp digital radio reception and high-fidelity stereo sound quality will keep workers in tune throughout their workday.

COLOUR: Black **SIZE:** One Size **STYLE:** 1030331



Honeywell
HOWARD LEIGHT

IMPACT® PRO INDUSTRIAL EARMUFF

Highest passive NNR (30 NRR) in electronic earmuffs on the market. Built to protect worker's hearing while allowing them to have environmental awareness. Strategically placed directional stereo microphones to amplify ambient sounds, including alarms/warnings, signals, and conversations while suppressing loud, impact noises down to a safe level of 82dB. The newly designed "textile" headband with extra cushion offers all day comfort. Quick-Click height adjustment remains fixed during wear. Snap-in ear cushions make replacement quick. Non-deforming outer headband withstands rough treatment in the toughest workplaces. Features 3.5mm audio jack and cable for connection to personal listening devices. All-in-one up and down, on/off and volume control. Canada Class A(L)

COLOUR: Black/Yellow **SIZE:** One Size **STYLE:** 1030943

NOTE: Style number(s) in bold face denote items that are Mark's Commercial In-Stock items.



RESPIRATORY PROTECTION

As a leading manufacturer of respiratory protection products, we've been protecting workers against respiratory hazards in many different environments around the world for over 100 years.



Features of the 7700 Series half mask

Upper headstraps have minimum give to provide secure support.

Wide contoured sealing area for great fit.

Various thickness in sealing area for improved comfort and support.

More support around the chin area and more flexibility on the nose bridge.



Honeywell

NORTH

NORTH 7700 SERIES HALF MASKS

Can be adapted to PAPR or Supplied Air for added flexibility in the workplace. Only 9 replacement parts, for quick and easy strip down and clean. Latex free, no need to be concerned about latex allergens. Strategically engineered exhalation valve replacement allows more breath to be exhaled faster, making the mask more comfortable and cooler to wear.

COLOR: Black **SIZE:** Medium, Large
STYLE: 770030M, 770030L



NOTE: Style number(s) in bold face denote items that are Mark's Commercial In-Stock items.



Honeywell
NORTH

NORTH FULL FACEPIECE RESPIRATOR

Silicone facepiece is soft and flexible to provide workers with a comfortable and secure fit. Wide viewing area for distortion-free visibility and optical clarity. Polycarbonate lens with 200° field of vision that meets ANSI requirements for high impact. Silicone nose cup for softer and more comfortable all day wear. CF-SAR and PAPR front mount adaptability. Can be adapted to side mount CF-SAR and PAPR*.

*Side mount PAPR pending NIOSH approval.

COLOUR: Black **SIZES:** S, M, L
STYLE: RU65001, RU65002 (with mesh headnet)



Honeywell
NORTH

NORTH 7600 SERIES FULL FACEPIECE

100% Silicone facepiece is soft and flexible to provide workers with a comfortable and secure fit. Wide sealing area fits more facial types. Nose cup provides less dead air space and channels exhaled breath out. Speech diaphragm is standard to amplify workers' conversations. Wide panoramic lens provides optimal field of vision in all directions. Polycarbonate lens meets ANSI requirements for high impact. Can be adapted to PAPR or Supplied Air for greater flexibility in the workplace.

COLOUR: Black **SIZE:** Small, Med/Lrg
STYLE
760008AS 760008ASW (with welding attachment)
760008A 760008AW (with welding attachment)



Honeywell
NORTH

SPERIAN SAF-T-FIT® PLUS P1130

Nose clip is color-coded for visible size recognition. P100 protection. Molded cup design and durable suspension straps. Low-breathing resistance. Humidity-resistant filter media. Latex free.

COLOUR: Black/White **SIZES:** Medium/Large **STYLE:** 14110440

NORTH GAS AND VAPOUR CARTRIDGES

Organic vapour. Approved for use against Organic vapours. 2/Pk.

COLOUR: Grey/Black
STYLE: N75001L



NORTH N-SERIES FILTERS

P100 Filter. 99.97% efficiency for all particulates. 2/Pk.

COLOUR: Purple
STYLE: 7580P100



NORTH N-SERIES MULTI-CONTAMINANT CARTRIDGE WITH P100 FILTER

Approved for use against Organic Vapor, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide (Escape), Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine, Formaldehyde; and 99.97% filter efficiency for all particulates. 2/Pk.

COLOUR: Purple
STYLE: 75SCP100L



SAFETY FACT:

Assessing the respiratory hazard is the first step to determining the type of respirator needed. There are three basic categories of hazards: particulates, gases & vapours, and oxygen-deficient atmospheres.

NOTE: Style number(s) in bold face denote items that are Mark's Commercial In-Stock items.



Honeywell
NORTH

NORTH 5500 CONVENIENCE MASK

5500 is an economically priced half mask that doesn't sacrifice comfort and fit. Convenience packs include 5500 half mask, cartridges and /or filters for convenience. Cartridges and filters are replaceable so facepiece can be re-used. Ideal as an economical respirator for sub-contractors, plant gussets and occasional users. Latex free, no need to be concerned with latex allergens. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace.

COLOUR: Black/Purple **SIZES:** Medium, Large **STYLE:** 550030M, 550030L



Honeywell
NORTH

NORTH 5400 SERIES FULL FACEPIECE

Wide sealing area fits more facial types. Nose cup provides less dead air space and channels exhaled breath out. Latex free, thermoplastic elastomer with no natural rubber proteins which may cause an allergic reaction. Wide panoramic lens provides optimal field of vision in all directions. Polycarbonate lens meets ANSI requirements for high impact. Can be adapted to PAPR or Supplied Air for greater flexibility in the workplace.

COLOUR: Black **SIZE:** Small, Med/Lrg **STYLE:** 54001S, 54001



SAFETY FACT:

Wearers of any RPE must be provided with the right size and shape of mask. Fit testing is required when the worker is first provided with a facepiece, with periodic re-testing as good practice.



Honeywell
NORTH

NORTH RU8800 SERIES HALF MASK

Designed specifically to accommodate hard-to-fit users. Wraparound design contours to the user's face while the facepiece pleats guide the mask towards the face and the triple flange, which utilizes three distinct sealing surfaces to provide sealing security for greater freedom of movement. Silicone facepiece is soft and flexible to keep workers comfortable for longer durations. Exhalation valve provides quick exhaust of warm exhaled air, preventing the buildup of CO2. Headstrap assembly includes extra wide cradle suspension to assist in weight distribution for enhanced comfort. Location of inhalation valves and cartridge ports is low on the mask to minimize sightline interference and to maximize field of vision. NIOSH approved as air-purifying respirator and with Backpack Adapter, ideal for welding and painting applications.

COLOUR: Blue/Black **SIZE:** S, Med/Lrg
STYLE: RU88001S, RU88001ML



Honeywell
NORTH

NORTH RU8500 SERIES HALF MASK

Silicone facepiece is soft and flexible to provide workers with a comfortable fit for hours of use. Speech diaphragm offers better speech clarity for improved communications. Dual sealing flange provides excellent facepiece seal. Woven straps retain shape for secure fit and better comfort; straps are easy to adjust with no excess slack. Optional filter covers for decontamination showers or spark guards (welding). NIOSH approved. Compatible with N-Series filters and cartridges.

COLOURS: 3 colours **SIZES:** S, M, L

STYLE	COLOUR	VALVE COVER
RU85001	Royal Blue	Industrial Exhalation
RU85002	Light Green	Industrial Exhalation
RU85003	Lilac	Industrial Exhalation
RU85004	Royal Blue	Diverter Exhalation
RU85005	Light Green	Diverter Exhalation
RU85006	Lilac	Diverter Exhalation

NOTE: Style number(s) in bold face denote items that are Mark's Commercial In-Stock items.



FALL PROTECTION

Honeywell protects workers from falls from height, representing the leading risk factor for serious injury or death. Offering a comprehensive line of fall prevention and protection equipment, professional training, and fall arrest systems, Honeywell provides a trusted and reliable solution for safety at height. Safety managers specify our equipment for jobs ranging from construction and utilities to wind energy and forestry. We use the highest quality manufacturing processes to create personal fall protection that workers trust, with the height access solutions they need.



Easier vertical adjustability that stays in place, slip-resistant back D-ring and forward positioned D-rings.


Increased worksite safety with Hi-Viz color webbing and ANSI Z359.11 compliance.



TITAN II NON-STRETCH HARNESSSES

Easier vertical adjustability that stays in place, slip resistant back D-ring pad and forward positioned side D-rings, keeping your tool bags in the right place. The Contractor harness (T4577/UAK) has more comfort and better fit with lighter, strategically-placed padding that provides optimal airflow. Increased worksite safety with Hi-Viz color webbing. Meets ANSI Z359.11 and CSA Z259.10. Sliding back D-ring; tongue buckle legs, mating buckle chest and shoulder straps; sub-pelvic strap – universal. Rated to 400 lbs. (181.4 kg) capacity.

COLOUR: Black/Orange
SIZE: One Size
STYLE: T4500/UAK



Honeywell
MILLER

MILLER AIRCORE™ HARNESS

Unique breathable, open-core padding technology provides optimal airflow and reduces heat and moisture build-up; up to 16% less surface area than other padding used on the market. Contoured ergonomic padding design minimizes contact around a worker's neck, lower back and inner thighs to reduce chafing and irritation. Patented DuraFlex stretchable webbing provides greater flexibility and mobility. Materials and components selected to reduce fatigue for all-day endurance and increased productivity; up to 10% lighter than similar competitive harnesses. Meets ANSI Z359.11 and CSA Z259.10 requirements. Rated to 400 lbs. (181.4 kg) capacity.

COLOUR: Green/Black **SIZE:** One Size **STYLE:** AC-QC/UGN

MILLER RELIEF STEP™ SAFETY DEVICE

Alleviates the effects of orthostatic intolerance, also known as suspension trauma. Provides support and enhances blood circulation until rescue – permitting the ability to move and flex leg muscles. Utilizing two (2) Relief Steps (one for each leg/foot) assures greater comfort until rescue is completed. Attaches to any brand full-body harness.

COLOUR: Green/Black
SIZES: S/M, Lg/XL, 2XL/3XL
STYLE: 9099X/12 Box of 12
9099/36BULK Bulk Qty of 36



Honeywell
MILLER

TITAN READYROOFER FALL PROTECTION SYSTEM

Roofing bucket kit includes a Titan™ harness, lanyard, roof anchor and rope lifeline. Fully adjustable, polyester webbing harness for all day comfort and dependability. Versatile, reusable roof anchor with attachment D-Ring. Compact trailing rope grab is durable, corrosion-resistant, stainless steel construction and attaches anywhere on the lifeline. Shock-absorbing lanyard with 9,300 lb. tensile strength, treated to combat ultraviolet rays. Meets all applicable OSHA, ANSI and CSA standards.

COLOUR: Yellow **SIZE:** One Size **STYLE:** BRFK50/50FTC



SAFETY FACT:

Falls occur in virtually all manufacturing and service sectors. Fatal falls however are in construction, mining and certain maintenance activities.



MILLER TWIN TURBO G2 CONNECTOR SYSTEMS

Better alternative to double-leg lanyards – reduces fall clearance requirements for use in more applications. PFLs swivel independently – provides ultimate worker mobility and prevents webbing from twisting and binding in the unit. Lightest-weight Twin Connector on the market. Corrosion resistant aluminum connector teamed with high-impact nylon result in a longer product life. Webbing Retainer Clip rotates freely to prevent unintentional opening of carabiner gate during a fall increases worker safety. D-Pad Clip maintains harness adjustment while working by keeping the harness webbing and D-Pad in place. Meets all applicable standards including OSHA, ANSI and CSA.

COLOUR: Red
SIZE: One Size
STYLE: MFLC-12-Z7/6FT

Honeywell
MILLER



NOTE: Style number(s) in bold face denote items that are Mark's Commercial In-Stock items.