

Item #	Model	Compressor Type	Displacement (cc)	Voltage	Cooling Capacity (W)	Cooling Capacity (Btu/h)	COP (w/w)	Capacitor (µF/V)	Height (mm)	Test Mode
1	SH307MV-C7HU1	Constant Speed T3	30.7	220V/50Hz	5250	17913	3.2	45/420	293.4	ASHRAE/T
2	SH336MV-67HG	Constant Speed T3	33.6	220V/50Hz	5655	19295	2.95	50/450	293.4	ASHRAE/T
3	SH438MV-C8U1	Constant Speed T3 High efficiency	43.8	220V/50Hz	7510	25624	3.1	60/450	330.9	ASHRAE/T
4	SH307MV-C7HG	Constant Speed T3	30.7	220V/50Hz	5250	17913	3.2	45/420	293.4	ASHRAE/T
5	SH417MV-C8LU	Constant Speed T3	41.7	220V/50Hz	7040	24020	3.01	60/450	338.9	ASHRAE/T
6	SL253SN-C7EU	Constant Speed T1	23.9	230V/60Hz	5030	17162	3.31	40/450	288.4	ASHRAE/T
7	SHW73TC4-U	Constant Speed T1	35.6	230V/60Hz	7305	24925	3.01	50/450	293.4	ASHRAE/T
8	SHV73YC4-U	Constant Speed T1	41.7	230V/60Hz	8520	29070	3	50/450	338.9	ASHRAE/T
9	SH325DG-C8LU	Constant Speed T3	32.5	230V/60Hz	6860	23405.63	3.22	55/450	307.8	ASHRAE/T
10	SH330DG-C8LU	Constant Speed T3	33	230V/60Hz	6950	23712.71	3.22	55/450	307.8	ASHRAE/T
11	SH356DG-C8DU3	Constant Speed T3	35.6	230V/60Hz	7450	25418.66	3.24	50/450	317.8	ASHRAE/T
12	ASG125UV-A6DT (T1)	Constant Speed T1	12.5	220V/50Hz	2930	9997	2.93	30/450	261	ASHRAE/T
13	ASL190UY-C7EQ (T1)	Constant Speed T1	19	220V/50Hz	4590	15661	3	45/450	304	ASHRAE/T
14	ASH264SV-C8LU (T1)	Constant Speed T1	26.4	220V/50Hz	6300	21496	2.85	50/450	298.5	ASHRAE/T
15	ASL140TV-C7AU (T1)	Constant Speed T1	14	220V/50Hz	3370	11498	3	30/450	273.6	ASHRAE/T
16	ASH184TV-C7HU1L (T1)	Constant Speed T1	18.4	220V/50Hz	4520	15422	3.1	40/450	301.1	ASHRAE/T
17	ASH280TV-C8CU (T1)	Constant Speed T1	28	220V/50Hz	6830	23304	3	70/450	312.9	ASHRAE/T
18	SHY33MC4-E	Constant Speed T1	30.8	220V/50Hz	5200	17742	3	50/400	293.4	ASHRAE/T
19	SHV33YC6-U	Constant Speed T1	41.72	220V/50Hz	7020	23952	3.04	50/450	338.9	ASHRAE/T
20	SHW33TC4-E	Constant Speed T3	35.6	220V/50Hz	6090	20779	3.01	50/450	307.8	ASHRAE/T
21	SHW33TC4-U	Constant Speed T3	35.69	220V/50Hz	5990	20438	3.01	50/450	293.4	ASHRAE/T
22	ASL211SV-C7LU1	Constant Speed T3	21.1	220V/50Hz	5070	17299	2.9	50/450	289	ASHRAE/T
23	ATH290CV-C9LU	Constant Speed T3	29	220V/50Hz	7125	24311	2.88	60/450	358	ASHRAE/T
24	SL222CV-C7LU	Constant Speed T3	22.2	220V/50Hz	3740	12761	3.05	35/450	264	ASHRAE/T
25	SHX33SC4-U	Constant Speed T3	33	220V/50Hz	5630	19210	3	50/450	293.4	ASHRAE/T
26	TH508MV-1	Twin cylinder T3	50.8	220V/50Hz	8725	29770	3.15	95/450V	380.7	ASHRAE/T
27	TH532MV	Twin cylinder T3	53.2	220V/50Hz	9220	31459	3.05	90/450V	395.6	ASHRAE/T
28	ASH232SV-C8LU	Constant Speed T1	23.2	220V/50Hz	5510	18800	2.9	60/400	298.5	ASHRAE/T
29	ASH295UV-C8DU	Constant Speed T1								ASHRAE/T
30	SG167UV-A7BT1	Constant Speed T1	16.7	220V/50Hz	2785	9502	3.03	30/450	256	ASHRAE/T

31	SL268UV-C8AU	Constant Speed T1	26.8	220V/50Hz	4565	15576	3.23	45/450	289	ASHRAE/T
32	SH336SV-C7HU	Constant Speed T1	33.6	220V/50Hz	5815	19841	3.02	55/450	293.4	ASHRAE/T
33	SL211UV-C7LU	Constant Speed T1	21.1	220V/50Hz	3570	12181	3.24	35/450	279	ASHRAE/T
34	SHV33YC6-U	Constant Speed T1	41.7	220V/50Hz	7100	24225	3.04	50/450	338.9	ASHRAE/T
35	SH310UV-C8DU	Constant Speed T1	31	220V/50Hz	5300	18084	3.31	50/450	307.8	ASHRAE/T
36	THK33PC6-U	Twin cylinder T1	46	220V/50Hz	8050	27467	3.08	60/450	372.7	ASHRAE/T
37	ASH264MV-C8DU	Constant Speed T3	26.4	220V/50Hz	6485	22127	2.98	45/450	325.5	ASHRAE/T
38	ASH280MV-C8DU	Constant Speed T3	28	220V/50Hz	6850	23372	3	50/450	325.5	ASHRAE/T
39	ATH420-MV-C9EU	Twin cylinder T3	42	220V/50Hz	10100	34461	2.95	90/450	375.8	ASHRAE/T
40	SH255DG-C7HQ1	Constant Speed T3	23.9	230V/60Hz	5030	17162	3.31	40/450	288.4	ASHRAE/T
41	ATH420SM3-C9EUC	Twin cylinder T3	42	380V/60Hz	12250	41797	3	--	400.7	ASHRAE/T
42	ATE498UM3-Q9PK	Twin cylinder T3	49.8	230V/60Hz	15400	52545	3.04	-	414.6	ASHRAE/T
43	ATE590UM3-Q9JK	Twin cylinder T3	59	380V/60Hz	18300	62440	3	-	445.2	ASHRAE/T
44	ATH290DG-C9EU1	Twin cylinder T3	29	230V/60Hz	8570	29241	3.01	70/450	375.8	ASHRAE/T
45	ATE401UN-Q9PK	Twin cylinder T3	40.1	230V/60Hz	12280	41899	3.08	80/450	414.6	ASHRAE/T
46	ATE498UN-Q9PK	Twin cylinder T3	49.8	380V/60Hz	15500	52886	3.01	80/450	414.6	ASHRAE/T
47	ASH255DG-C8DQ	Constant Speed T3	25.5	230V/60Hz	7500	25590	3.05	60/450	315.5	ASHRAE/T
48	ASL150DGC-7EU3	Constant Speed T3	15	230V/60Hz	4390	14978	3.06	40/450	304	ASHRAE/T
49	ASH193DGC-8LQ2	Constant Speed T3	19.3	230V/60Hz	6250	17913	4	35/450	301.1	ASHRAE/T
50	ATF290MV-C8FUH	Twin Rotary T3	29	220V/50Hz	7010	23918	3.03	70/450	375.8	ASHRAE/T
51	ATH356MV-C9EUA	Twin Rotary T3	35.6	220V/50Hz	8550	29173	2.9	55/450	375.8	ASHRAE/T
52	ATH420MV-C9EU	Twin Rotary T3	42	220V/50Hz	10100	34461	2.95	90/450	375.8	ASHRAE/T
53	ATE498SC3-Q9RK1	Twin Rotary T3	49.8	380-415 50Hz	12650	43162	3.06	--	414.6	ASHRAE/T
54	ATE518SC3-Q9RKA	Twin Rotary T3	51.8	380-415 50Hz	13150	44868	3.02	--	414.6	ASHRAE/T
55	ATE590SC3-Q9JK	Twin Rotary T3	59	380-415 50Hz	14850	50668	3	--	445.2	ASHRAE/T
56	ATE650SC3-Q9JK	Twin Rotary T3	65	380-415 50Hz	16350	55786	2.9	--	445.2	ASHRAE/T
57	BSA645DT-R1EN		6.45	220V/50Hz						
58	SL300UV-C8EU	Constant Speed T1	30	220V/50Hz	5160	17606	3.32	45/450	313	ASHRAE/T
59	SG215CV-A7LT3	Constant Speed T1	21.4	220V/50Hz	3630	12385	3.05	45/450	261	ASHRAE/T
60	SD160XV-F6AUN	Constant Speed T1	16	220V/50Hz	2740	9349	3.2	25/400	242.9	ASHRAE/T
61	GTD186UKQ-A8JT6	Variable speed R32	18.6	220V/50Hz	7800	26614	4.73		261	Cold room testing condition
62	GTL253UDP-C9AUL	Variable speed R32	25.3	220V/50Hz	8420	28729	4.85		307.5	High testing condition
63	ATH420SDP-C9EQ	Variable speed R32	42	220V/50Hz	11960	40808	3.25		375.8	ASHRAE/T

